Amendments to the Claims

This listing of the claims will replace all prior versions and listing of claims in this application.

Listing of Claims

1. (Previously presented) A cyclic depsipeptide of formula (I) or salt thereof

in which

R¹ represents nitrobenzyl or R'R"N-benzyl

where

R' and R" independently of one another each represent hydrogen, optionally substituted C_1 - C_4 -alkyl, formyl, C_1 - C_4 -alkoxy- C_1 - C_4 -alkyl, C_1 - C_4 -alkoxycarbonyl, hydroxyl- C_1 - C_2 -alkylsulphonyl- C_1 - C_2 -alkyl,

or

R' and R" together with the nitrogen atom to which they are attached form an optionally substituted mono- or polycyclic saturated or unsaturated heterocycle which is optionally bridged and/or siprocyclic and which contains 1 to 3 further heteroatoms from the group consisting of nitrogen, oxygen and sulphur, or R' and R" together form C_3 - C_5 -alkylenemonocarbonyl or an optionally substituted diacyl radical of a C_4 - C_6 -dicarboxylic acid, and R^2 , R^3 and R^4 independently of one another represent C_1 - C_4 -alkyl,

R², R³ and R⁴ independently of one another represent C₁-C₄-alkyl, and optical isomers and racemates thereof.

2. (Previously presented) The depsipeptide of Claim 1

in which

R¹ represents nitrobenzyl or R'R"N-benzyl where

R' and R" independently of one another each represent hydrogen, C_1 - C_3 -alkyl, in particular methyl, ethyl, C_1 - C_3 -alkoxy- C_1 - C_3 -alkyl, in particular methoxyethyl, 2-hydroxyethylsulphonyl- C_1 - C_2 -alkyl, in particular 2-hydroxyethylshulphonylethyl, or

R' and R' together with the nitrogen atom to which they are attached represent N-pyrrolidino, N-piperidino, N-piperazino, N-morpholino, N-2,6-dimethylmorpholino, N-thiomorpholino, N-pyrazolo, N-imidazolo, 2-oxopyrrolidin-1-yl, 2-oxopiperidin-1-yl, 2-oxoazepan-1-ylmethyl, succinimino, maleinimino or glutarimino,

 R^2 , R^3 and R^4 independently of one another represent C_1 - C_4 -alkyl, and optical isomers and racemates thereof.

(Previously presented) The depsipeptide of Claim 1 in which

 R^1 represents 4-nitrobenzyl, 4-aminobenzyl, 4-morpholinobenzyl, 4-hydroxyethylsulphonylethylaminobenzyl, R^2 and R^4 independently of one another represent C_1 - C_4 -alkyl, R^3 represents methyl or ethyl, and optical isomers and racemates thereof.

4. (Withdrawn) A process for preparing a cyclic depsipeptide of formula (I) or salts thereof

in which

R¹, R², R³ and R⁴ are as defined in Claim 1, which comprises

a. in a first step, nitrating a cyclic depsipeptide of formula (II) or salt thereof

$$\begin{array}{c|c} & & & \\ & & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\$$

in which

R², R³ and R⁴ are as defined in Claim 1,

in the presence of a nitrating agent and, if appropriate, in the presence of a diluent, and

b. if appropriate, in a second step, reducing the nitro group in a cyclic depsipeptide of formula (III) or salt thereof obtained in this manner

$$\begin{array}{c|c} & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & &$$

in which

R², R³ and R⁴ are as defined in Claim 1,

in the presence of a reducing agent and, if appropriate, in the presence of a diluent, and

c. if appropriate, in a third step, aminoalkylating a cyclic depsipeptide of formula (IV) or salt thereof

in which

 R^2 , R^3 and R^4 are as defined in Claim 1,

to introduce the radicals R' and R", in the presence of a suitable aldehyde and a reducing agent and, if appropriate, in the presence of a diluent, or

N-alkylating these depsipeptides in the presence of a suitable alkylating agent and a basic reaction auxiliary and, if appropriate, in the presence of a diluent, or

N-acylating these depsipeptides in the presence of a suitable acylating agent and a basic reaction auxiliary and, if appropriate, in the presence of a diluent.

- 5. (Previously presented) A composition comprising a cyclic depsipeptide of Claim 1.
- 6. (Canceled).
- 7. (Canceled).
- 8. (Withdrawn) A method for controlling endoparasites comprising administering to a human or animal in need thereof an effective amount of a cyclic depsipeptide of Claim 1.
- 9. (Previously presented) The depsipeptide of Claim 1, wherein R² and R⁴ independently of one another are selected from the group consisting of methyl, isopropyl, isobutyl, and sec-butyl.
- 10. (Withdrawn) A method for controlling endoparasites comprising applying to a habitat an effective amount of a cyclic depsipeptide of Claim 1.